Previous references.

~~Samples~~

1910-11.
~~1911.~~
(Legislation)

File No. 3-10

Serial Nos. 17-28

Later references.

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. 17—28

(28)

Part B. for Nov. 12.

SUBJECT.

Supply of standard weights and measures.

17. No. 1434-6/~~Samples~~ dy 13-11-11. To the Chief Engineer, the Supdt. Central jail, the Comptroller.

Directs the manufacture of two bronze Ser weights & two Cesy measures, to be marked original & duplicate with the year of date as usual.

18. From the Chief Engineer. No. 788 dy 20th Jan 1912

Intimates that the Executive Engineer, P. W. & Stores Dy has been asked to get the standards from the P.W.D. workshops Madras.

17. ~~From the Chief Engineer No 7282 dt 30 Aug 12.~~
Forwards the standard seer weight and seer measure ordered in 81.17.

20. The Supdt Public Health Institute & Chemical Examiner No 7285 dt 8.9.12.
Requests that the accuracy of the standards may be verified

21. From the same officer No 619 dt 6 Nov 12
~~Letter~~ Reports that the standards vary in the manner indicated

22. To the Chief Engineer No 7713 dt 10.9.12
Returns the standards & requests that they may be made right

23. From the same officer No 8642 dt 26.10.12
Returns the standards duly altered

24. To the same officer No 12855 dt 7.11.12
Acknowledges receipt of the standards

25. To the officer in charge State Weyer Department No 12856 dt 7.11.12
Forwards the seer weight & measure marked 'original'

26. To the Supdt Central Jail No 12857 dt 7.11.12
Forwards the seer weight & measure marked 'duplicate'

27. From the officer in charge State Weyer Department No 289 dt 12. Nov. 12
Acknowledges receipt of the seer weight & measure

28. From the Supdt. Central Jail. No 187/7-68 dt 19.

A Gadsden
7/8/12

(4)

G.R.S. 11]

1911-12

GENERAL AND REVENUE SECRETARIAT.

(Legal)

NOTES.

File No. 3-10

File Heading.

Supply of Standard Weights and Measures

From

No. Dated Received

Diary No. | Enclos. Spare Copies. | Serial No.

Brief Abstract of Letter.

NOTES AND ORDERS.

P.T.O.

Notes—First Sheet.

G.P.S. 30,000 27-6-11

Serial No.

Submitted

1 Rule 1 of the Rules under the Weights and Measures Regulation requires that a standard 'seer' weight and a standard 'seer' measure as defined therein should be preserved in the ~~office~~ State Huzur Treasury and a duplicate copy ~~thereof~~ of each should be kept in the Central jail. The standard 'seer' measure is also required to be in ~~brass~~ bronze and no specific metal is stated in the case of the standard seer weight. Bronze may perhaps be used for that also. A draft order to the Chief Engineer asking him to ~~prepare~~ get two sets of these standards prepared in the ~~Public~~ Work-shop of the Chief Engineer Water Supply and Stores &c., in bronze, one set to be stamped original with the year in which it was manufactured and the other set stamped "Duplicate" also with the year in which it was manufactured. The originals may then be kept in the State Huzur Treasury as required by Rule 2(1) and the duplicate kept in the Central jail as required by Rule 2(2).

(5-8)
19/9/11

SHW 19/9/11

NOTE— Contn. sheet.

~~G.H.P.—50,000—12-8-10~~

G. R. S. 12]
General and Revenue Secretariat.

File No. of 19

Serial No.

May be agreed

20/9/11.

Secy).

P. S. It is a question whether the originals and the duplicates Shd be in bronze or steel. And it is doubtful whether our D.P. & Workshop Can manufacture them to Conect to the degree of accuracy required by us.

20/9/11.

Secy).

Please see note in main file* on last point. Please suggest that the 'Standard' should be got made by a firm of Scientific instrument makers.

21/9/11

Let this file be sent along with the Main

21/9/11

The Main file is linked with this.

25/9/11

25/9/11

* or in a file of the predecessor (name of working) in which paid

NOTE— Contn. sheet.

GPR—50,000—12-8-10

G. R. S. 12]
General and Revenue Secretariat.

Legis File No. 3 of 1910-11

Serial No.

Submitted

Orders have not been passed on this file ~~that~~ re the manufacture of the Standard Original and Duplicate seers of weight and measure required by Rule 2 of the Weights and Measures Rules. The other file where the Secretary has suggested that these should be got manufactured by a firm of scientific instrument makers is linked with this (Please see para 46 of page 18 of the Notes to Legis 3 of 1911)

~~GB~~ (GB) JN
2/11/11 2-11-11

The draft is resubmitted with the necessary corrections made as personally instructed.

~~GB~~ (GB)
2/11/11 JN (11) 3/11

SA
6/11/11

Sec) 2nd C Dewan

CAB
8/11/11

Issue
SA
8/11/11

NOTE— Contn. sheet.

GPB—50,000—12-8-10

G. R. S. 12]
General and Revenue Secretariat.

Legis File No. 3 of 1910-11

Serial No.	
17	No J 1484-6 dated 13/11/11 To the Chief Engineer in Mysore Supdt Central Jail and Comptroller to Govt for communication to the Officer in charge of the State Mysore Treasury Orders the Chief Engineer to get 2 sets of standard Seer weights and Seer measure to be prepared one to be stamped "Original" and another "Duplicate" &c Submitted No reply has till now been received from the Chief Engineer as to the action taken by him upon the above order. May a reminder be sent to him now. A draft reminder is put up (S) SW (11) 16/1/12 17/1 Issue and Submit to Govt on his return 18/1/12
Renr	No J 2079 dated 23/1/12 To the Chief Engineer in Mysore Invites his attention to SC 17 and requests him to inform what steps have been

NOTE—Contn. sheet.

G. R. S. 12]
General and Revenue Secretariat.

Legis File No. 3 of 1910-11

Serial No.

taken in the matter and when the two sets would be got and supplied.

12 Subd to Secretary
SW(11)
25/1/12

18 No 788 dated 25/1/12
From the Chief Engineer of Mysore, Bangalore
informs that the Executive Engineer, Water Supply and Stores Dn has been asked to obtain the standard weights and measures from the P. W. Workshops, Madras, where it is understood the C&M Station standards are made.

Submitted
SW(11) (25)
27/1/12

12 Subd to Secy. for info.
The new rules come into force from the 1st July 1912

27/1/12
2nd Cr

9/2/12

10/2/12

15 What about the machinery — was not change asked to get it ? If so please ask what steps have been taken

14/4/12

NOTE—Contn. sheet.

GPB—50,000—12-8-10

G. R. S. 12]
General and Revenue Secretariat.

Legis File No. 3 of 1910-11

Serial No.

Submitted

16 A separate reminder was sent on 9/2/12 to the Chief Engineer (J 2293 9/2/12) regarding the erection of suitable machinery in the Central Jail. That file, Legis 29 J/1911-12, was submitted to the Secretary on 12/2/12 after issue of the reminder as ordered by the Asst. Secretary

(58) Subd for information.
13/2/12 SA(II)
14/2/12
SA

x on what date? please note before subg
SA
Republished

Received back from the Secy. 1/3/12

Ser).

1 No 7232 dated 30/8/1912
From the chief Engineer of Mysore
Forwards two boxes containing the "Standard" seer measures and weights marked original and duplicate. Submitted with the two boxes and 3 drafts. one forwarding the "original" to the State Huzur treasury Officer the 2nd forwarding the duplicate to the Supdt. Central Jail, Bangalore and the 3rd acknowledging

NOTE—Contn. sheet.

GPB—50,000—12-8-10

[F. R. S. 12]

General and Revenue Secretariat. | Legis File No. 3 of 1910-11

Serial No.

the receipt of the boxes.

(58)
2/9/12.

Perhaps the "Standards" may be sent to the Chemical Examiner (Dr Srinivasachar) for testing their Correctness. [The dimensions of the Sun measure were fixed by him in Consultation with Mr Metcalfe and Mr Ashe, after Experimenting on the original" in use.] In this respect the Standards seem to be all right

2/9/12

Rules Come into force on 1st Oct. 12

Sd

Sd

2/9/12

Sd

Sd/ 1st Consultation

2/9

2/9

If. Perhaps drafting Memo

Sd

They may be tested & then deposited as required by rule

2/9/12

2/9/12

2/9/12

2/9/12

NOTE.—Contn. sheet.

OPB—20,000—2-1-12

G. R. S. 12]

General and Revenue Secretariat.

Legis File No. 3 of 1910 - 11

Serial No.	
19	encld. with a draft (5-8) 3/9/12 3/9/12
20	No 728 dated 3/9/12 from the Supdt. Public Health Institute and chemical Examiner to Govt. Requests him to verify the accuracy of the two sets of standard seer weights and measures.
21	No 619 dated 6/9/12 from the Supdt. Public Health Institute and chemical Examiner to Govt. Returns the sets and reports that they are slightly heavier and larger than the standards prescribed by the Rules. Submitted As the standards are required to be quite accurate according to their description in the Rules, may the sets be returned to the ~~Chief Engineer for~~ Chemical Examiner again for being reduced to the proper weight and capacity so as to exactly tally with

NOTE.—Contn. sheet.

R. S. 12]

General and Revenue Secretariat. | Legis. File No. 3 of 1910-11

Serial No.

to the chief Engineer to get them reduced, in consultation with the Chemical Examiner, to the proper weight and capacity so as to tally exactly with the standards prescribed in Rule 1 (1) and (2).

(68)
9/9/12

Perhaps it will be possible to be more accurate.

May the Ch. Engineer be informed accordingly?

9/9/12

Yes. Please put up a draft to Chief Engr

9/9

Attorney

9/9/12.

NOTE—Contn. sheet.

GPE—65,000—17-6-12.

R. S. 12]

General and Revenue Secretariat.

Legis File No. 3 of 1910 - 11

Serial No.	
1	Submitted with a draft (58) 7/9/12 9/9/12 1st Councillor 9/9 9/9/12
771. 2	Draft appd: by 1st Councillor 9.9.12 10/9 Issue and submit to Dewan for sign 10/9/12
22.	To the Chief Engineer in dlep one no 771 dy 10-9-1912. Returns the 'gear' measures & the 'set' weights and requests that they may be brought up to the standard prescribed in the rules. Submd to Dewan as directed above 19/9/12

3521
21-9-12

NOTE—Contn. sheet.

GIE—6,000—17-6-12.

Seen by Dewan. Vide note on draft
30.9.12

G. R. S. 12]

General and Revenue Secretariat.

Legs File No. 3 of 1910-11

Serial No.	
	[illegible]
	From the City Engineer in Mysore
	Returns the boxes containing the Standard seer weight and seer measure duly certified with certificate for sale to the [illegible] Rao.
30	Submitted. These may now be sent to the State Huzur Treasury and the Superintendent Central Jail for safe custody as required by Rule 2 A draft is annexed. Drafts are annexed subd. acknowledging the receipt of the boxes containing the standard seer weight and seer measure is also put up. along with the (58) 30/10/12
	31 May be approved 31/10/12
	32 Approved
	33 Issued and submitted to H.H. Jaraja's 5/11/12

NOTE—Contn. sheet.

GPB—65,000—17-9-12.

G. R. S. 12]

General and Revenue Secretariat.

Legis File No. 3 of 1910 - 11

Serial No.	
24	No J 1285 dated 7/11/12 To the Chief Engineer Acknowledges the receipt of the boxes
25	No J 1286 dated 7/11/12 To the Officer in charge of the State Huzur Treasury Forwards the box containing standard 'original' seer weight and seer measure for personal custody
26	No J 1287 dated 7/11/12 To the Superintendent, Central Jail Forwards the box containing standard "duplicate" seer weight and seer measure for personal custody.
34	Submitted to the 1st Councillor for information as ordered at page 12 (58) 7/11/12 35 Seen H 28/11/12 36 [illegible] 29/11/12
27	From the Asst Comptroller-General No 209 of 13th Nov 1912. Acknowledges the receipt of the Seer & weight sent in this —

NOTE—Contn. sheet.

GPB—65,000—17-9-12.

G. R. S. 12]

General and Revenue Secretariat.

File No. 3 of 1918

Serial No.	
18	From the Supt of Bangalore Central Jail no 187/1918 dy 13th Jan 1918 — Intimating the receipt of the Sec's weight and Sec measure, sent by him — 36 No further action seems to be called for the papers may be filed. 486a. 2/1/18

NOTE—Contn. sheet.

GPB—65,000—17-9-12.

G.R.S. 28.]

File No.
Serial No

Diary No. of letter replied to

Proceedings of the Government of His Highness the Maharaja of Mysore.

GENERAL AND REVENUE SECRETARIAT.
( )

, *the* 19

Date of issue 13-11-11

Signed by Mr S. Srinivasaiya

READ—

Govt Notification No J 806 - Legis 16-09-37, dated 11th Sep 1911 publishing the Rules under the Mysore Weights and Measures Regn, 1902

ORDER THEREON.—No. J 1484-6/Legis 8-W-17

of the Rules under the Weights and Measures Regn, 1902

Rule 2 requires that the standard "Seer" measure and the standard seer weight referred to in Rule 1 shall be carefully secured

over

SUBJECT.

GPB—10,000—19-4-10

the ~~State~~ Huzur Treasury in the personal custody of the Officer in charge of the Treasury and ~~also~~ that a duplicate copy of the Standard 'seer' weight and a duplicate copy of the Standard 'seer' measure shall be kept in the Bangalore Central Jail ~~and~~ in the personal custody of the Superintendent of the Jail.

The chief Engineer in Mysore is requested to ~~will therefore~~ ~~the~~ take immediate steps to get two ~~accurate sets~~ of bronze 'seer' measures and two ~~accurate bronze~~ 'seer' more made of steel or other durable metal weights manufactured in the work-shop of the Executive Engineer Water Supply and Stores Division, and supplied by any firm of Scientific Instrument makers to Govt. The 'seer' weights and 'seer' measures ~~should~~ be in strict conformity with the requirements of ~~with the standard requirements contained in~~ Rules 16, 8 and ~~and the 'seer' measure with the weights mentioned in Rules 16, 8 and 9~~

G.R.S. 27]

GENERAL AND REVENUE SECRETARIAT.

(*Continuation Sheet draft form.*)

One 'seer' weight and one 'seer' measure should ~~also~~ bear the word 'Original' and ~~also~~ the year of manufacture and the other 'seer' weight and the other 'seer' measure should bear the word "duplicate" as well as ~~and also~~ the year of manufacture. ~~Six copies of the Rules under the Mysore Weights and Measures Regn. 1902 are sent for reference.~~

Yours

Secretary to Govt.

To

The Chief Engineer in Mysore, Bangalore ~~with six copies of the Rules under the Mysore Weights and Measures Regulation.~~

" The Inspt. General of

" The Comptroller in Mysore

for comm & Mem with Govts

Mysore Treasury ~~to be~~

GPB—10,000—22-2-11

Urgent

3

No. 788

DIARY No. 18914

MYSORE P. W. DEPARTMENT,
CENTRAL OFFICE.

Bangalore, 25th January 1912.



From

XXXX

Ill Rem. 25.1.12 Yep

491

MYSORE P. W. DEPARTMENT.

No. 788

From

THE CHIEF ENGINEER OF MYSORE,
Bangalore.

To The Secretary to the Govern-ment of Mysore, Genl: & Rev: Depts.

Dated Bangalore, 26th January 1912

Despatched

Enclosure No.

SUBJECT.

Re: Standard weights and measures.

GPB—2,000—4-8-11

Urgent

DIARY No. 7609

(4

No. 7232
Qua 2 boxes.

1912-13
SECTION I
FILE. 3-10
SERIAL NO. 19

MYSORE P. W. DEPARTMENT,

CENTRAL OFFICE,

Bangalore, 30th August 1912.

From

M. VISVESVARAYA, ESQ., M. I. C. E., C.I.E.,

Chief Engineer of Mysore,

Bangalore.

To

K. R. Srinivasa Iyengar, Esq., M.A.,

Offg, Secretary to the Government of His

Highness the maharaja of Mysore,

General and Revenue Departments.

SIR,

With reference to Government Proceedings No.J.1484-6/Legis. 3-10 dated the 13th November 1911, I have the honour to forward herewith two teak wood boxes containing the "standard" seer measures and weights, one original and the other duplicate.

I have thehonour to be,

Sir,

Your most obedient servant,

M. Ibrahim Saheb

Deputy Chief Engineer of Mysore,

Public Works Department.

V.B.

Weights 7/12 3/18 Copy 44

1912-1

MYSORE P. W. DEPARTMENT.

No. 7232.

From

THE CHIEF ENGINEER OF MYSORE,

Bangalore.

To The Secretary to the Government of His Highness the Maharaja of Mysore. General and Revenue Departments.

Dated Bangalore, 30th August 1912.

Despatched 31st August 1912

Enclosure No. 2 boxes.

SUBJECT.

Forwarding two teak wood boxes containing the "Standard" brass measures and weights, one original and the other duplicate.

GPB—1,500—4-8-12

3/9/12

(5

G.R.S. 26]

Legis File No. 3 - 10

Serial No. 20

Diary No. of letter replied to

No. 7928 Encls

General and Revenue Secretariat

( )

, the 19 .

To

The Chemical Supdt.
Public Health Institute and
Chemical Examiner to Govt.
Sir

I am directed to forward herewith 2 sets of standard seer weights and measures in two boxes with the Keys in duplicate marked original and duplicate respectively and to request you to be so good as to test the accuracy of the seers with reference

over.

Issue 3/9/12

Signed by Mr Arrigaraiya

SUBJECT.

to their description given in paras (1) and (2) of Rule 1 of the Rules under the Weights and Measures Regn., 1902. The matter may be treated as urgent and a report sent to Government at an early date. I have &c

for Secretary to Govt

copy for enclosed

by

but 12

(58)
3/9/12

List of enclosures,

Copied by 3/9/12

Examined by

GPB—10,000—28-2-11.

Legis III/6/97

DIARY No. 9685

From Dr. M. S[illegible] Law
Supdt. & Asst. Chemical Examiner, Govt.

To The Secretary to the Govt. General & Rev. Depts. Bangalore

Dated 6th Sept 1912.
Despatched
Received
General No. 619
No.

Sir, Enclosure No. (with 2 boxes, Keys & Contents)

I have the honour to acknowledge the receipt of the original and duplicate of the Seers by weight and measure in two boxes forwarded with your letter No. 9728/Legis 3-10 dated 3rd Sept 12. These have been duly checked with the following results -

The one-Seer weight marked "original" is heavier than the weight prescribed in para 1 of Rule 1 of the Rules under the Weights & Measures Regulation by 11.685 grains,

and that marked "Duplicate" by 9·200 grains

The one-Seer measures marked original and duplicate held respectively water weighing 3·764 and 78·383 grains more than what is prescribed in para 2 of Rule 1 of the above Regulation

The two boxes with their keys and contents are herewith returned.

I have the honour to be
Sir,
Your most obedient Servant
[illegible]
Supdt. P. H. Institute &
Chemical Examiner to Govt

G. R. S. 26]

Legis File No. 3 to
Serial No. 22

Diary No. of letter replied to

No. J 775 Encls box & 1 copy of letter & 1 copy of rules

General and Revenue Secretariat
( )
, the 191 .

To
The Chief Engineer of Mysore
Bangalore

Date of issue 10-5-12

Signed by [illegible]

Sir

~~With reference to your letter No 7232 dated 30th August 1912 forwarding two boxes containing the "standard"~~

I am directed to return herewith the two boxes containing the "standard" seer measures and weights received with your letter No 7232 dated 30th August.

over.

SUBJECT.

(W

together with a copy of
letter No 619 dated 6th Sept: 1912
from the Supdt Public Health
Institute and Chemical Examiner
to Govt stating that the
two sets of standard weights and measures
as standards are slightly
heavier and larger respectively
than the standards prescribed
in Rule 1 clauses (1) and (2) of the
Rules under the Mysore
Weights and Measures Regn.
I am therefore to request
you to be so good as to
cause, ~~the same, to be~~
~~exa~~ in consultation with
the Chemical Examiner, if necessary, the Standards brought up to
~~tally, the one with~~ the description given
in Rule 1 clause (1) and (2) of the Rules.
~~return the same~~ with
a certificate from the
Chemical Examiner as to
their accuracy. I have &c.

for Secretary to Govt.

* copy herewith enclosed.

List of enclosures,

The Standards may be retd then

Copied by

Examined by

GPB—25,000—8-8-11.

9/9/12

Dg to 3-10-23

(11

No. 8642

MYSORE P. W. DEPARTMENT,

CENTRAL OFFICE,

Bangalore, 26th October *19* 12

FROM

The *Chief Engineer of Mysore,*
Bangalore.

To

K.R.Srinivasaiengar,Esq., M.A.,
Offg: Secretary to Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments.

SIR,

With reference to your letter No.J.775/Legis. 3-10 dated the 10th September 1912, I have the honour to return herewith the two boxes containing the "Standard" seer measures and weights received therewith duly rectified in conformity with the rules.

2. A certificate received from the Superintendent, Public Health Institute and Chemical Examiner, as to the correctness thereof is attached.

I have the honour to be,
Sir,
Your most obedient servant,

H.Krishna Das

Deputy Chief Engineer,
Mysore P.W.D.

V.N.S.

GPB—500—8-9-09

DIARY No. 1135

1912-1913
SECTION Ag.
FILE No. 3-10
SERIAL No.

1912-13

MYSORE P. W. DEPARTMENT.

No. 8642

From

THE CHIEF ENGINEER OF MYSORE,

Bangalore.

To

The offg Secretary to Government,
General & Revenue Departments
Bangalore

Dated Bangalore, 26-10-1912

Despatched 26-10-1912

Enclosure No. 3. 2 Bonds 1 certificate

SUBJECT.

Forwarding bonds containing standard seer measures and weights duly rectified with conformity with the rules together with a certificate as to the correctness thereof.

SECRETARY'S OFFICE
REGD. No .....
1-OCT 1912
MYSORE P. W. DEPT.

Enclosure to (12
Lr. No. 3-10-23
1912

Sanction sealed

From

Dr. M. Srinivasa Rau.
Supt: P.H. Institute & Cheml: Exam: Mf.
Bangalore

EXECUTIVE ENGINEER
MYSORE P. W.
24 SEP 1912
WATER SUPPLY & SEWERAGE DIVISION

To

The Executive Engineer,
Water Supply & Sewerage Division,
Bangalore.

Dated 21st September 1912.

Despatched Do

Received

General No. 661.
No.

Sir,

Enclosure No. with two boxes containing weights & measures

With reference to your letter No 2240 dated 23rd September 1912, I have the honour to state that the Standard Weights & Measures in question have been duly tested and found to conform to the Standards prescribed.

I have the honour to be
Sir,
Your most obedt Servt
M. Srinivasa Rau
Supt P.H. Institute & Chemical Exam Mf

Sd.
Hm.
24/9/12

CSK & WS?

Report to Supt. Insp. & return the boxes.
K.S
24-9-12

V. Rs: 24.9.12

GPB—5,76,000—6-4-12

2

bundle 3 drafts (13)

G.R.S. 26]

Legislative File No. 3-10
Serial No. 214

Diary No. of letter replied to

No. J 1285

General and Revenue Secretariat
( )
, *the* 19 .

To

The Chief Engineer
of Mysore, Bangalore

Sir

I am directed to acknowledge with thanks the receipt of the two boxes containing the "Standard Seer" weights with the certificate of their correction and measures sent with your letter No 3 dated 26th October 1912 ~~dated 30th August 1912~~.

I have &

W 5/11

for Secretary to Govt

SUBJECT.

6 Plus 3 drafts (19

G.R.S. 26]

Legis File No. 3-10

Serial No. 2 3

Diary No. of letter replied to. .....

No. J 1286 Encl box
9 keys

General and Revenue Secretariat
( )
, *the* 19 .

To

The Officer in charge of
the State Huzur Treasury
Bangalore

Date of issue 7-12-12

Signed by Sri K Narayanaiya

Sir

I am directed to forward herewith a box with keys in duplicate containing (1) a "Standard" original "Seer" (2) a "Standard" "Seer" weight and measure for being kept in your personal custody as required ~~in~~ by rule 2 (1) of the Rules under the Mysore Weights

over.

SUBJECT.

15)

and measures Regs., 1902,

and to request an

acknowledgment.

I have &c.

for Secretary to Govt.

List of enclosures,

Copied by

Examined by

GPB—20,000—26-9-10

blue 1 — 3 drafts

(16

G.R.S. 26]

keys File No. 3-19-26

Serial No. 27

Diary No. of letter replied to

No. J 1284 Encl box + keys

General and Revenue Secretariat

( )

, the *19* .

To

The Superintendent
Central Jail
Bangalore

Date of issue 7-11-12

Signed by M S Hiriyannaiah

Sir

I am directed to forward herewith a box with keys in duplicate containing ~~the~~ Copies of the duplicate of (1) the Standard "Seer" weight and (2) the Standard Seer measure for being kept in your personal custody as required by rule 2(2)

over.

SUBJECT.

17)

I the Rules under the Mysore Weights and Measures Regn., 1902, and to request an acknowledgment.

I have &c.

for Secretary to Govt

23/5/11

List of enclosures,

Copied by

Examined by

GPB—20,000—25-9-10

DIARY No. 1265
13 -10
SECTION Legis
FILE No. 3-10
SERIAL No. 29

(18)

State Mazgur Treasury Bangalore
12 November 1912.

From

The Assistant Comptroller
in Charge, State Mazgur Treasury
Bangalore.

To

The Secretary
to the Government of His Highness
the Maharaja of Mysore
General & Revenue Depth
Bangalore

Sir

I have the honor to acknowledge the receipt of a box with duplicate keys containing a Standard original Seer weight and a "standard Seer" measure sent with your letter No: J 1286 Legn 3-10 dated 7 Instant.

I have the honor to be
Sir
Your most Obedient Servant

S. Ramanna

Assistant Comptroller
in charge State
Mazgur Treasury.

Yep

No. M-184
F-6.

Office of the Superintendent,
Central Jail Bangalore.
13th November 1912

J 1277
Legis 3-10-26

From,

The Superintendent,
Central Jail,
Bangalore.

To,

The Secretary to the Government of
H. H. the Maharaja of Mysore
Genl and Revl Depts.

Sir,

I have the honor to acknowledge
receipt of a box (with a key) containing
Standard duplicates of a weight
and a measure forwarded with your
No. J. 1287/Legis 3-10 dated 7th November 1912.

I have the honor to be,
Sir,
Your most obedient Servant,

J. H. Hearne
Superintendent,
Central Jail,
Bangalore.